



Eco Global Solutions™

# MATERIAL SAFETY DATA SHEET

## SECTION 1 PREPARATION INFORMATION

**Product Name:** EGS BOOST X #F13000

**SUPPLIER/MANUFACTURER**  
Eco Global Solutions, Inc.  
2850 Red Hill Avenue Suite 210  
Santa Ana, CA 92705

**PHONE NUMBERS**  
Business Hours: (949) 955-1039  
24 Hours: Chemtrec: (800) 424-9300  
General MSDS: (949) 955-1039

## SECTION 2 HAZARD IDENTIFICATION OF PRODUCT

Item	Category	Hazard
Flammability	4	Combustible liquid
Acute Toxicity (mouth)	Not classified	Not applicable
Acute Toxicity (skin)	Not classified	Not applicable
Acute Toxicity (inhalation)	Not classified	Not applicable
Acute Toxicity (ingestion)	Not classified	Not applicable
Skin corrosion/irritation	Not classified	Not applicable
Eye damage/irritation	Not classified	Not applicable
Sensitization (respiratory)	Not classified	Not applicable
Sensitization (skin)	Not classified	Not applicable
Germ Toxicity	Not classified	Not applicable
Specific target organ systemic toxicity (single exposure)	1	No target organs for this category
	2	No target organs for this category
	3	No target organs for this category
Specific target organ systemic Toxicity (repeated exposure)	1	No target organs for this category
	2	No target organs for this category
Aspiration hazard	Not classified	Not applicable
Harmfulness to Aquatic Environment (acute)	Not classified	Not applicable
Harmfulness to Aquatic Environment (long term effect)	Not classified	Not applicable
Carcinogenicity	Not classified	Not applicable



Eco Global Solutions™

## MATERIAL SAFETY DATA SHEET

Reproductive Toxicity	Not classified	Not applicable
Organic Peroxide	Not classified	Not applicable

**Safety Phrases:** Not Applicable

### SECTION 3

### COMPOSITION/INFORMATION ON INGREDIENTS

**Mixture:** Yes

Ingredient	CAS Number	Concentration
Extreme pressure & friction reducing additive	Proprietary or N/A	<5
Petroleum Carrier Solvent	Proprietary or N/A	<100

Contains no other ingredients now known to be hazardous as defined by OSHA 29 CFR 1910.1000(z)

### SECTION 4

### FIRST AID MEASURES

<b>Inhalation</b>	Remove exposed person to fresh air. If breathing is labored, administer oxygen and obtain immediate medical attention. If irritation persists or if toxic symptoms are observed, get medical attention.
<b>Eye Contact</b>	Flush with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
<b>Skin Contact</b>	Wash immediately with soap and water. Remove soiled clothing. Get medical attention if irritation develops. Launder contaminated clothing.
<b>Ingestion</b>	DO NOT INDUCE VOMITING. If conscious, give 2 glasses of water. Get immediate medical attention.

### SECTION 5

### FIRE-FIGHTING MEASURES

<b>Flash Point</b>	63°C. This is a flammable liquid. Keep away from heat, sparks, open flames, and hot surfaces. Do not smoke near this container.
<b>Extinguishing Media</b>	Carbon dioxide, dry chemical, or foam. Avoid using water.
<b>Combustion Products</b>	Carbon monoxide and asphyxiants
<b>Special Fire Procedures</b>	Recommended SCBA. Use water only for cooling container. Water may cause splattering, or transport the flame.

### SECTION 6

### ACCIDENTAL RELEASE MEASURES

Evacuate all non-essential personnel. Personal Protective Equipment must be worn, see PPE section 8 & 16. Remove sources of ignition. Prevent entry into sewers and waterways. Contain release, pick up free liquid for recycling or disposal. Residual liquid can be absorbed with inert material. Check DOT/ CERCLA and other agencies for reporting requirements.

Prevent contamination to soil, waterway and sewer systems



Eco Global Solutions™

## MATERIAL SAFETY DATA SHEET

### SECTION 7

### HANDLING AND STORAGE

<b>Handling</b>	Avoid prolonged skin contact, breathing vapors, and contaminated clothing. Use with adequate ventilation. Wear recommended protective equipment. Practice good personal hygiene after handling. Empty containers retain material residue. Do not cut, weld, braze, solder or expose containers to other ignition sources.
<b>Storage</b>	Store in closed containers of proper construction. Store away from ignition sources and in areas of good ventilation.

### SECTION 8

### EXPOSURE CONTROLS AND PERSONAL PROTECTION

<b>Exposure Limits</b>	The PEL (OSHA) and the TLV (ACGIH) is 5 mg/m <sup>3</sup> for oil mists.
<b>Ventilation</b>	Use in areas of adequate ventilation. Use mechanical exhaust to control vapors or mists.
<b>Gloves</b>	Nitrile or neoprene gloves are recommended
<b>Eye Protection</b>	Safety glasses, goggles, or face shield are recommended
<b>Respiratory Protection</b>	Use NIOSH/MSHA approved respirator with organic vapor cartridge and dust/mist cartridge is recommended if exposure limit is exceeded. Self-contained breathing apparatus is recommended for confined space entry.
<b>Clothing</b>	Long sleeve shirt and apron when potential for skin contact. Wear neoprene or nitrile rubber boots when necessary to avoid contaminating shoes.

### SECTION 9

### PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Amber oily liquid	<b>Odor</b>	Petroleum Odor
<b>Flash Point</b>	>63°C	<b>Boiling Point</b>	N/D
<b>VOC%</b>	97	<b>pH</b>	N/D
<b>Specific Gravity</b>	0.813	<b>Solubility in Water</b>	Negligible
<b>Vapor Pressure</b>	<0.01 mmHg@20°C	<b>Vapor Density</b>	Heavier than air
<b>Evaporation Point</b>	Less than ether		
<b>Flammability</b>	Materials classified as DOT Combustible Liquids (Flash Point > 141°F and <200°F) are not regulated by DOT in containers of 110 gallons, or less for domestic shipments.		



Eco Global Solutions™

# MATERIAL SAFETY DATA SHEET

## SECTION 10 STABILITY AND REACTIVITY

<b>Stability</b>	Material is normally stable at ambient temperature and pressure
<b>Conditions to Avoid</b>	Do not store with strong oxidizing agents. Keep away from heat, sparks, open flame, or all sources of ignition
<b>Polymerization</b>	Will not occur
<b>Decomposition</b>	Carbon dioxide, carbon monoxide

## SECTION 11 TOXOLOGICAL INFORMATION

Ingredient	Oral LD50 mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr
Extreme pressure & friction reducing additive	----	----	----
Petroleum Carrier Solvent	----	----	----

<b>Oral Toxicity</b>	Swallowing material may cause irritation of the gastrointestinal lining, nausea, vomiting, diarrhea, and abdominal pain.
<b>Eye Irritation</b>	Not expected to cause eye irritation.
<b>Skin Irritation</b>	Not expected to be a primary skin irritant. Prolonged or repetitive contact may cause irritation.

### Carcinogenicity

CAS Number	Ingredient		
Proprietary or N/A	Extreme pressure & friction reducing additive	OSHA	Select carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
		California OSHA	Listed: No
Proprietary or N/A	Petroleum Carrier Solvent	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
		California OSHA	Listed: No



Eco Global Solutions™

## MATERIAL SAFETY DATA SHEET

### SECTION 12

### ECOLOGICAL INFORMATION

This material is expected to have adverse effects on marine and plant life. Spills may contaminate drinking water.

### SECTION 13

### DISPOSAL CONSIDERATIONS

Consult federal, state and local regulations regarding disposal methods, recycle used oil. Do not contaminate used oil with solvents or other chemicals.

### SECTION 14

### TRANSPORT INFORMATION

See 49 CFR part 171.8 through 178.510

<b>Proper Shipping Name</b>	Oil, n.o.s.
<b>Hazard Class</b>	Not regulated
<b>UN No</b>	Not applicable
<b>Packaging Group</b>	Not applicable
<b>Marine Pollutant</b>	No
<b>GHS Hazard Class</b>	Not applicable
<b>GHS Shipping Information</b>	Not applicable
<b>IMDG</b>	Not regulated

### SECTION 15

### REGULATORY INFORMATION

<b>TSCA</b>	All components of this product are listed on the United States TSCA (Toxic Control Substance Act) Inventory
<b>RCRA</b>	Not RCRA regulated
<b>SARA 311/312 (&gt;0.1%)</b>	Not applicable
<b>SARA 313 (&gt;0.1%)</b>	Zinc Alkyldithiophosphate Zinc Compounds
<b>CERCLA (&gt;0.1%)</b>	Not applicable
<b>Inventory— Canada - Non-Domestic Substances List (NDSL)</b>	Not applicable
<b>California Prop 65 Cancer</b>	Trace metal impurity (<0.01%)
<b>California Prop 65 Developmental</b>	Not applicable
<b>California Prop 65 Female Reproductive</b>	Not applicable
<b>California Prop 65 Male Reproductive</b>	Not applicable



Eco Global Solutions™

## MATERIAL SAFETY DATA SHEET

<b>California Prop 65 Male Reproductive</b>	Not applicable
<b>Inventory - Australia - Inventory of Chemical Substances (AICS)</b>	1-Decene, homopolymer, hydrogenated 1-Decene, trimer, hydrogenated Petroleum distillates, hydrotreated heavy paraffinic Zinc Alkyldithiophosphate Zinc Compounds
<b>Inventory - Japan Existing New Chemical Substances (ENCS)</b>	1-Decene, homopolymer, hydrogenated ( Petroleum distillates, hydrotreated heavy paraffinic
<b>Korean Existing Chemicals Inventory</b>	1-Decene, homopolymer, hydrogenated Petroleum distillates, hydrotreated heavy paraffinic
<b>Inventory of Existing Chemical Substances in China</b>	1-Decene, homopolymer, hydrogenated Petroleum distillates, hydrotreated heavy paraffinic Zinc Alkyldithiophosphate Zinc Compounds
<b>Philippines Inventory of Chemicals and Chemical Substances (PICCS)</b>	1-Decene, homopolymer, hydrogenated 1-Decene, trimer, hydrogenated Petroleum distillates, hydrotreated heavy paraffinic Zinc Alkyldithiophosphate Zinc Compounds
<b>Taiwan List of Toxic Chemical Substances Regulated Under Toxic Chemical Substances Control Act</b>	Not applicable
<b>EU REACH Annex XVII, Dangerous Substances and Preparations</b>	Petroleum distillates, hydrotreated heavy paraffinic
<b>Inventory - European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)</b>	1-Decene, homopolymer, hydrogenated 1-Decene, trimer, hydrogenated Petroleum distillates, hydrotreated heavy paraffinic Petroleum product additive Zinc Alkyldithiophosphate Zinc Compounds
<b>EU List of Notified Chemical Substances (ELINCS)</b>	Not applicable
<b>Risk Phrases</b>	Not applicable



Eco Global Solutions™

## MATERIAL SAFETY DATA SHEET

<b>SECTION 16</b>	<b>OTHER INFORMATION</b>
-------------------	--------------------------

<b>HMIS</b>	<b>Health</b>	1	<b>NFPA</b>	<b>Health:</b>	1
	<b>Fire</b>	1		<b>Fire:</b>	1
	<b>Physical</b>	0		<b>Reactivity</b>	0
	<b>Hazards:</b>			<b>Special Hazards:</b>	--
	<b>PPE:</b>	C			

This information has been compiled from sources considered to be dependable and is accurate to the best of Eco Global Solutions knowledge. Eco Global Solutions makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Eco Global Solutions assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.