



Eco Global Solutions™

MATERIAL SAFETY DATA SHEET

SECTION 1

PREPARATION INFORMATION

Product Name: EGS GEAR #A03300

SUPPLIER/MANUFACTURER
Eco Global Solutions, Inc.
2850 Red Hill Avenue Suite 210
Santa Ana, CA 92705

PHONE NUMBERS
Business Hours: (949) 955-1039
24 Hours: Chemtrec: (800) 424-9300
General MSDS: (949) 955-1039

SECTION 2

HAZARD IDENTIFICATION OF PRODUCT

Item	Category	Hazard
Flammability	Not classified	Not applicable
Acute Toxicity (mouth)	Not classified	Not applicable
Acute Toxicity (skin)	Not classified	Not applicable
Acute Toxicity (inhalation)	Not classified	Not applicable
Acute Toxicity (ingestion)	Not classified	Not applicable
Skin corrosion/irritation	Not classified	Not applicable
Eye damage/irritation	Not classified	Not applicable
Sensitization (respiratory)	Not classified	Not applicable
Sensitization (skin)	Not classified	Not applicable
Germ Toxicity	Not classified	Not applicable
Specific target organ systemic toxicity (single exposure)	1	No target organs for this category
	2	No target organs for this category
	3	No target organs for this category
Specific target organ systemic Toxicity (repeated exposure)	1	No target organs for this category
	2	No target organs for this category
Aspiration hazard	Not classified	Not applicable
Harmfulness to Aquatic Environment (acute)	Not classified	Not applicable
Harmfulness to Aquatic Environment (long term effect)	Not classified	Not applicable
Carcinogenicity	Not classified	Not applicable
Reproductive Toxicity	Not classified	Not applicable
Organic Peroxide	Not classified	Not applicable

Safety Phrases: Not Applicable



Eco Global Solutions™

MATERIAL SAFETY DATA SHEET

SECTION 3

COMPOSITION/INFORMATION ON INGREDIENTS

Mixture: Yes

Ingredient	CAS Number	Concentration
Petroleum distillates, hydrotreated heavy paraffinic	064742-54-7	<50
Residual oils (petroleum), solvent refined	064742-01-4	<60

Contains no other ingredients now known to be hazardous as defined by OSHA 29 CFR 1910.1000(z)

SECTION 4

FIRST AID MEASURES

Inhalation	Remove exposed person to fresh air. If breathing is labored, administer oxygen and obtain immediate medical attention. If irritation persists or if toxic symptoms are observed, get medical attention.
Eye Contact	Flush with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
Skin Contact	Wash immediately with soap and water. Remove soiled clothing. Get medical attention if irritation develops. Launder contaminated clothing.
Ingestion	DO NOT INDUCE VOMITING. If conscious, give 2 glasses of water. Get immediate medical attention.

SECTION 5

FIRE-FIGHTING MEASURES

Flash Point	215°C. Slightly combustible. May release flammable vapors when heated above flash point.
Extinguishing Media	Carbon dioxide, dry chemical, or foam. Avoid using water.
Combustion Products	Carbon monoxide and asphyxiants
Special Fire Procedures	Recommended SCBA. Use water only for cooling container. Water may cause splattering, or transport the flame.

SECTION 6

ACCIDENTAL RELEASE MEASURES

Evacuate all non-essential personnel. Personal Protective Equipment must be worn, see PPE section 8 & 16. Remove sources of ignition. Prevent entry into sewers and waterways. Contain release, pick up free liquid for recycling or disposal. Residual liquid can be absorbed with inert material. Check DOT/ CERCLA and other agencies for reporting requirements.

Prevent contamination to soil, waterway and sewer systems



Eco Global Solutions™

MATERIAL SAFETY DATA SHEET

SECTION 7

HANDLING AND STORAGE

Handling	Avoid prolonged skin contact, breathing vapors, and contaminated clothing. Use with adequate ventilation. Wear recommended protective equipment. Practice good personal hygiene after handling. Empty containers retain material residue. Do not cut, weld, braze, solder or expose containers to other ignition sources.
Storage	Store in closed containers of proper construction. Store away from ignition sources and in areas of good ventilation.

SECTION 8

EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits	The PEL (OSHA) and the TLV (ACGIH) is 5 mg/m ³ for oil mists.
Ventilation	Use in areas of adequate ventilation. Use mechanical exhaust to control vapors or mists.
Gloves	Nitrile or neoprene gloves are recommended
Eye Protection	Safety glasses, goggles, or face shield are recommended
Respiratory Protection	Use NIOSH/MSHA approved respirator with organic vapor cartridge and dust/mist cartridge is recommended if exposure limit is exceeded. Self-contained breathing apparatus is recommended for confined space entry.
Clothing	Long sleeve shirt and apron when potential for skin contact. Wear neoprene or nitrile rubber boots when necessary to avoid contaminating shoes.

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Brown oily liquid	Odor	Petroleum Odor
Flash Point	>215°C	Boiling Point	>325
VOC%	NIL	pH	N/D
Specific Gravity	0.865	Solubility in Water	Negligible
Vapor Pressure	<0.01 mmHg@20°C	Vapor Density	Heavier than air
Evaporation Point	Less than ether		
Flammability	Materials classified as DOT Combustible Liquids (Flash Point > 141°F and <200°F) are not regulated by DOT in containers of 110 gallons, or less for domestic shipments.		

SECTION 10

STABILITY AND REACTIVITY

Stability	Material is normally stable at ambient temperature and pressure
Conditions to Avoid	Do not store with strong oxidizing agents. Keep away from heat, sparks, open flame, or all sources of ignition



Eco Global Solutions™

MATERIAL SAFETY DATA SHEET

Polymerization Will not occur
Decomposition Carbon dioxide, carbon monoxide

SECTION 11	TOXOLOGICAL INFORMATION
-------------------	--------------------------------

Ingredient	Oral LD50 mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr
Petroleum distillates, hydrotreated heavy paraffinic	> 5,000, rat - Category: NA	>5,000, rabbit - Category: NA	----
Residual oils (petroleum), solvent refined	----	----	----

Oral Toxicity Swallowing material may cause irritation of the gastrointestinal lining, nausea, vomiting, diarrhea, and abdominal pain.

Eye Irritation Not expected to cause eye irritation.

Skin Irritation Not expected to be a primary skin irritant. Prolonged or repetitive contact may cause irritation.

Carcinogenicity

CAS Number	Ingredient		
064742-54-7	Petroleum distillates, hydrotreated heavy paraffinic	OSHA	Select carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
		California OOSHA	Listed: No
064742-01-4	Residual oils (petroleum), solvent refined	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
		California OOSHA	Listed: No



Eco Global Solutions™

MATERIAL SAFETY DATA SHEET

SECTION 12

ECOLOGICAL INFORMATION

This material is expected to have adverse effects on marine and plant life. Spills may contaminate drinking water.

SECTION 13

DISPOSAL CONSIDERATIONS

Consult federal, state and local regulations regarding disposal methods, recycle used oil. Do not contaminate used oil with solvents or other chemicals.

SECTION 14

TRANSPORT INFORMATION

See 49 CFR part 171.8 through 178.510

Proper Shipping Name	Oil, n.o.s.
Hazard Class	Not regulated
UN No	Not applicable
Packaging Group	Not applicable
Marine Pollutant	No
GHS Hazard Class	Not applicable
GHS Shipping Information	Not applicable
IMDG	Not regulated

SECTION 15

REGULATORY INFORMATION

TSCA	All components of this product are listed on the United States TSCA (Toxic Control Substance Act) Inventory
RCRA	Not RCRA regulated
SARA 311/312 (>0.1%)	Not applicable
SARA 313 (>0.1%)	Not applicable
CERCLA (>0.1%)	Not applicable
Inventory— Canada - Non-Domestic Substances List (NDSL)	Not applicable
California Prop 65 Cancer	Cadmium (<0.01%) Ethyl acrylate (<0.01%) Lead (<0.01%)
California Prop 65 Developmental	Cadmium (<0.01%) Lead (<0.01%)
California Prop 65 Female Reproductive	Lead (<0.01%)
California Prop 65 Male Reproductive	Cadmium (<0.01%) Lead (<0.01%)



Eco Global Solutions™

MATERIAL SAFETY DATA SHEET

Inventory - Australia - Inventory of Chemical Substances (AICS)	Olefin Sulfide Petroleum distillates, hydrotreated heavy paraffinic Residual oils (petroleum), solvent refined
Inventory - Japan Existing New Chemical Substances (ENCS)	Petroleum distillates, hydrotreated heavy paraffinic Residual oils (petroleum), solvent refined
Korean Existing Chemicals Inventory	Petroleum distillates, hydrotreated heavy paraffinic Residual oils (petroleum), solvent refined
Inventory of Existing Chemical Substances in China	Olefin Sulfide Petroleum distillates, hydrotreated heavy paraffinic Residual oils (petroleum), solvent refined
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Olefin Sulfide Petroleum distillates, hydrotreated heavy paraffinic Residual oils (petroleum), solvent refined
Taiwan List of Toxic Chemical Substances Regulated Under Toxic Chemical Substances Control Act	Not applicable
EU REACH Annex XVII, Dangerous Substances and Preparations	Petroleum distillates, hydrotreated heavy paraffinic Residual oils (petroleum), solvent refined
Inventory - European Union - European In- ventory of Existing Commercial Chemical Substances (EINECS)	Olefin Sulfide Petroleum distillates, hydrotreated heavy paraffinic (265-157-1) Residual oils (petroleum), solvent refined (265-101-6)
EU List of Notified Chemical Substances (ELINCS)	Not applicable
Risk Phrases	Not applicable



Eco Global Solutions™

MATERIAL SAFETY DATA SHEET

SECTION 16	OTHER INFORMATION
-------------------	--------------------------

HMIS	Health	1	NFPA	Health:	1
	Fire	1		Fire:	1
	Physical	0		Reactivity	0
	Hazards:			Special Hazards:	--
	PPE:	C			

This information has been compiled from sources considered to be dependable and is accurate to the best of Eco Global Solutions knowledge. Eco Global Solutions makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Eco Global Solutions assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.