



MATERIAL SAFETY DATA SHEET

SECTION 1 PRODUCT INFORMATION—COMPANY IDENTIFICATION

IDENTITY: EGS LIFT (Hydraulic Fluid Supplement)

TDG Classification: Not regulated
Product use: Coolant and lubricant
Manufacturer: Eco Global Solutions, Inc.
Address: 4500 Campus Dr. Suite 208
Newport Beach, CA 92660
Telephone: (949) 955-1039 Fax (949) 748-5177

Emergency: 24 Hours: Chemtrec: (800) 424-9300

Supplier / Exporter: EGS, Inc.
TDG Classification: Not regulated
WHMIS Classification: Not controlled
DSL Status: Not Available

SECTION 2 HAZARDOUS IDENTIFICATION (Composition/Information on Ingredients)

Ingredients: Proprietary extreme pressure and friction reducing lubrication oil additive that is synthetic, non-toxic, non-flammable, non-hazardous, and non-corrosive.

SECTION 3 PHYSICAL DATA

Physical State: Liquid
Appearance & Odor: Neutral odor, clear yellow to golden brown color
Odor threshold (PPM): Not applicable
Density: ~ 1.27
Vapor pressure (kPa): <0.01
Vapor density (air=1): >1.0
Volatiles (%) by volume: Not available
Evaporation rate (butyl acetate=1): Not available
Boiling point (°C): > 850°F (> ~450°C)
Freezing point (°C): > -20°F (> ~-29.8°C)
pH: Neutral (~ pH 7.0)
Specific gravity @ 15°C: 1.27
Solubility in water: Insoluble
Coefficient of water/oil dist: Not available
VOC: Not available
OAR Value: UN
Oxidizing properties: None

This product contains no hazardous substance within the definition of OSHA Regulation 29 CFR 1910.1200/21 CFR 178.3570.



MATERIAL SAFETY DATA SHEET

SECTION 4 FIRE & EXPLOSION DATA

Flammability:	Not flammable as per WHMIS
Conditions of flammability:	At or above flash point temperature if an ignition source is present
Extinguishing media:	Carbon dioxide, dry chemical, foam. Water spray may be ineffective
Hazardous exposure:	Carbon monoxide and asphyxiants
Special procedures:	Firefighters should wear the usual protective gear. Wear self-contained breathing apparatus.
Auto-ignition temperature:	Not applicable
Flash point (°C) method:	>450 °F (> ~230°C)
Lower flammability limit (% Vol.):	Not available
Upper flammability limit (% Vol.):	Not available

EXPLOSION DATA

Sensitivity to static discharge:	Not available
Sensitivity to mechanical impact:	Not available
Hazardous combustion products:	Oxides of carbon (CO, CO ₂)
Explosive power:	Not applicable

SECTION 5 REACTIVITY DATA

Chemical stability:	Stable under normal conditions
Reactivity:	Minor
Conditions of reactivity:	None known
Hazardous polymerization:	Will not occur
Decomposition:	Carbon dioxide and carbon monoxide

INCOMPATIBILITY WITH OTHER SUBSTANCES

Incompatible substances:	Strong inorganic or organic acids or oxidizing agents.
Hazardous decomposition products:	See hazardous combustion products in section 4

SECTION 6 TOXICOLOGICAL INFORMATION

Route of entry:	Skin contact, eye contact, inhalation and ingestion
Eye contact:	No hazard known—slight irritation
Skin contact:	No hazard known—very mild
Inhalation:	No hazard known—few vapors
Ingestion:	No hazard known—may cause intestinal irritation
Effects of chronic exposure:	None known
LD50 of product, species & route:	5mg/m ³ oil mist



MATERIAL SAFETY DATA SHEET

SECTION 6 TOXICOLOGICAL INFORMATION

Sensitization of product:	None known
Carcinogenic effects:	None known
Reproductive effects:	None known
Teratogenicity:	None known
Mutagenicity:	None known
Synergistic materials:	None known

SECTION 7 PREVENTATIVE MEASURES

PRECAUTIONARY MEASURES /HEALTH HAZARD DATA

Gloves/type:	None required under normal use
Respiratory/type:	None required under normal use
Eye/type:	None required under normal use
Footwear/type:	None required under normal use
Clothing/type:	Work clothes
Other/type:	Eye wash facility should be in close proximity. Launder contaminated clothing before re-using.
Ventilation requirements:	General ventilation
Environmental precautions:	None required under normal use
Container disposal:	Container may have residual material, dispose according to local, state and federal laws.
Leak/Spill:	Use soil or other absorbing material
Waste disposal:	In accordance with municipal, provincial and federal regulations.
Handling procedures & equipment:	Maintain good personal hygiene. Avoid breathing vapors/mists. Use adequate ventilation. Avoid prolonged skin and eye contact. Wash clothing before re-use.
Storage requirements:	Store in closed containers of proper construction. Store away from ignition sources and in areas of good ventilation.
Special shipping info:	DOT: non hazardous—not regulated

SECTION 8 FIRST AID MEASURES

Skin contact:	Wash area with mild soap and water. Get medical attention if irritation develops.
Eye contact:	Flush eyes with clear, running water for at least 15 minutes. Get medical attention if irritation develops or persists.
Inhalation:	No specific treatment. This material is not likely to be hazardous by inhalation.
Ingestion:	If swallowed, induce vomiting as directed by medical personnel



MATERIAL SAFETY DATA SHEET

SECTION 9 TRANSPORTATION INFORMATION

DOT shipping name: EGS LIFT Hydraulic Fluid Supplement
DOT hazard class/description: Not applicable
DOT label: Not applicable
DOT product RQ: Not applicable
IMO classification: Not applicable

SECTION 10 ADDITIONAL INFORMATION

Use: Automotive Lubricant (additive)
Specific gravity (example):
Bottle: Specific gravity = 1.27 @ 15°C, 8oz, ~0.237 liter (237ml), ~0.300kg (300g)
Pail: Specific gravity = 1.27 @ 15°C, 5 gallon, ~ 18.93 liter, ~24kg
Drum: Specific gravity = 1.27 @ 15°C, 55 gallon, ~208.2 liter, 264kg

This information has been compiled from sources considered to be dependable and is accurate to the best of EGS, Inc's knowledge. EGS, Inc. makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. EGS, Inc. assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.

Prepared by: Eco Global Solutions, Inc. & its affiliate companies
Date Prepared: March 16, 2009